



Request your audit at coinsult.net

Advanced Manual **Smart Contract Audit**

October 18, 2022

 [CoinsultAudits](#)

 info@coinsult.net

 coinsult.net

Audit requested by



Floki Christmas

0x2679a9862ac79d03e7e9f00ca8abfbb6fca4ca1d

Table of Contents

1. Audit Summary

- 1.1 Audit scope
- 1.2 Tokenomics
- 1.3 Source Code

2. Disclaimer

3. Global Overview

- 3.1 Informational issues
- 3.2 Low-risk issues
- 3.3 Medium-risk issues
- 3.4 High-risk issues

4. Vulnerabilities Findings

5. Contract Privileges

- 5.1 Maximum Fee Limit Check
- 5.2 Contract Pausability Check
- 5.3 Max Transaction Amount Check
- 5.4 Exclude From Fees Check
- 5.5 Ability to Mint Check
- 5.6 Ability to Blacklist Check
- 5.7 Owner Privileges Check

6. Notes

- 6.1 Notes by Coinsult
- 6.2 Notes by Floki Christmas

7. Contract Snapshot

8. Website Review

9. Certificate of Proof

Audit Summary

Project Name	Floki Christmas
Website	https://flokichristmas.com/
Blockchain	Binance Smart Chain
Smart Contract Language	Solidity
Contract Address	0x2679a9862ac79d03e7e9f00ca8abfbb6fca4ca1d
Audit Method	Static Analysis, Manual Review
Date of Audit	18 October 2022

This audit report has been prepared by Coinsult's experts at the request of the client. In this audit, the results of the static analysis and the manual code review will be presented. The purpose of the audit is to see if the functions work as intended, and to identify potential security issues within the smart contract.

The information in this report should be used to understand the risks associated with the smart contract. This report can be used as a guide for the development team on how the contract could possibly be improved by remediating the issues that were identified.

Audit Scope

Source Code

CoinSult was comissioned by Floki Christmas to perform an audit based on the following code:

<https://bscscan.com/address/0x2679a9862ac79d03e7e9f00ca8abfbb6fca4ca1d#code>

Note that we only audited the code available to us on this URL at the time of the audit. If the URL is not from any block explorer (main net), it may be subject to change. Always check the contract address on this audit report and compare it to the token you are doing research for.

Tokenomics

Rank	Address	Quantity (Token)	Percentage
1	0x23ee3660fef71046c5fd50cbeef063ca711ee6a4	300,000,000,000	50.0000%
2	0x7be1ec7e9eec1fb030a543c7b6772178a7805e22	180,000,000,000	30.0000%
3	0xde0bc8f4177c3971666b2b457a4909ab9ccc8707	50,000,000,000	8.3333%
4	0x5d7a8d72739e8509406effb11e873b481bfd204a	50,000,000,000	8.3333%
5	0x3a55008434824d7ef187fa481e7307919090426d	20,000,000,000	3.3333%

Audit Method

Coinsult's manual smart contract audit is an extensive methodical examination and analysis of the smart contract's code that is used to interact with the blockchain. This process is conducted to discover errors, issues and security vulnerabilities in the code in order to suggest improvements and ways to fix them.

④ Automated Vulnerability Check

Coinsult uses software that checks for common vulnerability issues within smart contracts. We use automated tools that scan the contract for security vulnerabilities such as integer-overflow, integer-underflow, out-of-gas-situations, unchecked transfers, etc.

④ Manual Code Review

Coinsult's manual code review involves a human looking at source code, line by line, to find vulnerabilities. Manual code review helps to clarify the context of coding decisions. Automated tools are faster but they cannot take the developer's intentions and general business logic into consideration.

④ Used Tools

- Slither: Solidity static analysis framework
- Remix: IDE Developer Tool
- CWE: Common Weakness Enumeration
- SWC: Smart Contract Weakness Classification and Test Cases
- DEX: Testnet Blockchains

Risk Classification

Coinsult uses certain vulnerability levels, these indicate how bad a certain issue is. The higher the risk, the more strictly it is recommended to correct the error before using the contract.

Vulnerability Level	Description
● Informational	Does not compromise the functionality of the contract in any way
● Low-Risk	Won't cause any problems, but can be adjusted for improvement
● Medium-Risk	Will likely cause problems and it is recommended to adjust
● High-Risk	Will definitely cause problems, this needs to be adjusted

Coinsult has four statuses that are used for each risk level. Below we explain them briefly.

Risk Status	Description
Total	Total amount of issues within this category
Pending	Risks that have yet to be addressed by the team
Acknowledged	The team is aware of the risks but does not resolve them
Resolved	The team has resolved and remedied the risk

Disclaimer

This audit report has been prepared by Coinsult's experts at the request of the client. In this audit, the results of the static analysis and the manual code review will be presented. The purpose of the audit is to see if the functions work as intended, and to identify potential security issues within the smart contract.

The information in this report should be used to understand the risks associated with the smart contract. This report can be used as a guide for the development team on how the contract could possibly be improved by remediating the issues that were identified.

Coinsult is not responsible if a project turns out to be a scam, rug-pull or honeypot. We only provide a detailed analysis for your own research.

Coinsult is not responsible for any financial losses. Nothing in this contract audit is financial advice, please do your own research.

The information provided in this audit is for informational purposes only and should not be considered investment advice. Coinsult does not endorse, recommend, support or suggest to invest in any project.

Coinsult can not be held responsible for when a project turns out to be a rug-pull, honeypot or scam.

Global Overview

Manual Code Review

In this audit report we will highlight the following issues:

Vulnerability Level	Total	Pending	Acknowledged	Resolved
● Informational	0	0	0	0
● Low-Risk	3	0	3	0
● Medium-Risk	0	0	0	0
● High-Risk	0	0	0	0

Centralization Risks

Coinsult checked the following privileges:

Contract Privilege	Description
Owner can mint?	● Owner cannot mint new tokens
Owner can blacklist?	● Owner cannot blacklist addresses
Owner can set fees > 25%?	● Owner cannot set the sell fee to 25% or higher
Owner can exclude from fees?	● Owner can exclude from fees
Owner can pause trading?	● Owner cannot pause the contract
Owner can set Max TX amount?	● Owner cannot set max transaction amount

More owner privileges are listed later in the report.

Error Code	Description
SWC-107	CWE-841: Improper Enforcement of Behavioral Workflow

● **Low-Risk:** Could be fixed, will not bring problems.

Contract contains Reentrancy vulnerabilities

Additional information: This combination increases risk of malicious intent. While it may be justified by some complex mechanics (e.g. rebase, reflections, buyback).

```
function _transfer(
    address from,
    address to,
    uint256 amount
) internal override {
    require(from != address(0), "ERC20: transfer from the zero address");
    require(to != address(0), "ERC20: transfer to the zero address");
    require(!_isBlacklisted[from] && !_isBlacklisted[to], 'Blacklisted address');

    if(amount == 0) {
        super._transfer(from, to, 0);
        return;
    }

    if(automatedMarketMakerPairs[to] && (!_isExcludedFromMaxTx[from]) && (!_isExcludedF...
```

Recommendation

Apply the check-effects-interactions pattern.

Exploit scenario

```
function withdrawBalance(){
    // send userBalance[msg.sender] Ether to msg.sender
    // if msg.sender is a contract, it will call its fallback function
    if( ! (msg.sender.call.value(userBalance[msg.sender])() ) ){
        throw;
    }
    userBalance[msg.sender] = 0;
}
```

Bob uses the re-entrancy bug to call withdrawBalance two times, and withdraw more than its initial deposit to the contract.

Error Code	Description
SWC-116	CWE-829: Inclusion of Functionality from Untrusted Control Sphere

● **Low-Risk:** Could be fixed, will not bring problems.

Avoid relying on `block.timestamp`

`block.timestamp` can be manipulated by miners.

```
function canAutoClaim(uint256 lastClaimTime) private view returns (bool) {
    if(lastClaimTime > block.timestamp) {
        return false;
    }

    return block.timestamp.sub(lastClaimTime) >= claimWait;
}
```

Recommendation

Do not use `block.timestamp`, `now` or `blockhash` as a source of randomness

Exploit scenario

```
contract Game {

    uint reward_determining_number;

    function guessing() external{
        reward_determining_number = uint256(block.blockhash(10000)) % 10;
    }
}
```

Eve is a miner. Eve calls `guessing` and re-orders the block containing the transaction. As a result, Eve wins the game.

Error Code	Description
SLT: 054	Missing Events Arithmetic

● **Low-Risk:** Could be fixed, will not bring problems.

Missing events arithmetic

Detect missing events for critical arithmetic parameters.

```
function setRewardsFee(uint256 _rewardFee, uint256 _liquidityFee, uint256 _marketingFee, uint256 _lotteryFee) external {
    BUSDRewardsFee = _rewardFee;
    liquidityFee = _liquidityFee;
    marketingFee = _marketingFee;
    lotteryFee = _lotteryFee;
    totalFees = BUSDRewardsFee.add(liquidityFee).add(marketingFee).add(lotteryFee);

    require(totalFees <= 20, "Fees Must be 20% Or less");
}
```

Recommendation

Emit an event for critical parameter changes.

Exploit scenario

```
contract C {

    modifier onlyAdmin {
        if (msg.sender != owner) throw;
        _;
    }

    function updateOwner(address newOwner) onlyAdmin external {
        owner = newOwner;
    }
}
```

updateOwner() has no event, so it is difficult to track off-chain changes in the buy price.

Maximum Fee Limit Check

Error Code	Description
CEN-01	Centralization: Operator Fee Manipulation

Coinsult tests if the owner of the smart contract can set the transfer, buy or sell fee to 25% or more. It is bad practice to set the fees to 25% or more, because owners can prevent healthy trading or even stop trading when the fees are set too high.

Type of fee	Description
Transfer fee	● Owner cannot set the transfer fee to 25% or higher
Buy fee	● Owner cannot set the buy fee to 25% or higher
Sell fee	● Owner cannot set the sell fee to 25% or higher

Type of fee	Description
Max transfer fee	20%
Max buy fee	20%
Max sell fee	20%

Function

```
function setRewardsFee(uint256 _rewardFee, uint256 _liquidityFee, uint256 _marketingFee, uint256 _lotteryFee) external {
    BUSDRewardsFee = _rewardFee;
    liquidityFee = _liquidityFee;
    marketingFee = _marketingFee;
    lotteryFee = _lotteryFee;
    totalFees = BUSDRewardsFee.add(liquidityFee).add(marketingFee).add(lotteryFee);

    require(totalFees <= 20, "Fees Must be 20% Or less");
}
```

Contract Pausability Check

Error Code	Description
CEN-02	Centralization: Operator Pausability

Coinsult tests if the owner of the smart contract has the ability to pause the contract. If this is the case, users can no longer interact with the smart contract; users can no longer trade the token.

Privilege Check	Description
Can owner pause the contract?	 Owner cannot pause the contract

Max Transaction Amount Check

Error Code	Description
CEN-03	Centralization: Operator Transaction Manipulation

Coinsult tests if the owner of the smart contract can set the maximum amount of a transaction. If the transaction exceeds this limit, the transaction will revert. Owners could prevent normal transactions to take place if they abuse this function.

Privilege Check	Description
Can owner set max tx amount?	 Owner cannot set max transaction amount

Exclude From Fees Check

Error Code	Description
CEN-04	Centralization: Operator Exclusion

Coinsult tests if the owner of the smart contract can exclude addresses from paying tax fees. If the owner of the smart contract can exclude from fees, they could set high tax fees and exclude themselves from fees and benefit from 0% trading fees. However, some smart contracts require this function to exclude routers, dex, cex or other contracts / wallets from fees.

Privilege Check	Description
Can owner exclude from fees?	● Owner can exclude from fees

Function

```
function excludeFromFees(address account, bool excluded) public onlyOwner {  
    require(_isExcludedFromFees[account] != excluded, "FLOC: Account is already the value of 'excluded'");  
    _isExcludedFromFees[account] = excluded;  
  
    emit ExcludeFromFees(account, excluded);  
}
```

Ability To Mint Check

Error Code	Description
CEN-05	Centralization: Operator Increase Supply

Coinsult tests if the owner of the smart contract can mint new tokens. If the contract contains a mint function, we refer to the token's total supply as non-fixed, allowing the token owner to "mint" more tokens whenever they want.

A mint function in the smart contract allows minting tokens at a later stage. A method to disable minting can also be added to stop the minting process irreversibly.

Minting tokens is done by sending a transaction that creates new tokens inside of the token smart contract. With the help of the smart contract function, an unlimited number of tokens can be created without spending additional energy or money.

Privilege Check	Description
Can owner mint?	 Owner cannot mint new tokens

Ability To Blacklist Check

Error Code	Description
CEN-06	Centralization: Operator Dissallows Wallets

Coinsult tests if the owner of the smart contract can blacklist accounts from interacting with the smart contract. Blacklisting methods allow the contract owner to enter wallet addresses which are not allowed to interact with the smart contract.

This method can be abused by token owners to prevent certain / all holders from trading the token. However, blacklists might be good for tokens that want to rule out certain addresses from interacting with a smart contract.

Privilege Check	Description
Can owner blacklist?	 Owner cannot blacklist addresses

Other Owner Privileges Check

Error Code	Description
CEN-100	Centralization: Operator Privileges

Coinsult lists all important contract methods which the owner can interact with.

 Owner can update dividend tracker

 Owner can update UniSwap Router

 Owner can update claimwait

Notes

Notes by Floki Christmas

No notes provided by the team.

Notes by Coinsult

No notes provided by Coinsult

Contract Snapshot

This is how the constructor of the contract looked at the time of auditing the smart contract.

```
contract CrazyFLOC is ERC20, Ownable {
    using SafeMath for uint256;

    IUniswapV2Router02 public uniswapV2Router;
    address public uniswapV2Pair;

    bool private swapping;

    FLOCDividendTracker public dividendTracker;

    address public deadWallet = 0x0000000000000000000000000000000000000000dEaD;

    address public immutable BUSD = address(0xe9e7CEA3DedcA5984780Bafc599bD69Add087D56); //BUSD

    uint256 public swapTokensAtAmount = 60000000 * (10**18);

    uint256 public maxSellTransactionAmount = 1200000000 * (10**18); //0.5 %

    mapping(address => bool) public _isBlacklisted;

    uint256 public BUSDRewardsFee = 5;
    uint256 public liquidityFee = 2;
    uint256 public marketingFee = 2;
    uint256 public lotteryFee = 1;
    uint256 public totalFees = BUSDRewardsFee.add(liquidityFee).add(marketingFee).add(lotteryFee);


    address payable public _marketingWalletAddress = payable(0x80188eE19C706eb8FeC94be80e54e09b0217209A);
    address payable public _lotteryWalletAddress = payable(0xb58eF1872a315431220a5D4c0902875cA482855F);

    // use by default 300,000 gas to process auto-claiming dividends
    uint256 public gasForProcessing = 300000;

    // exclude from fees and max transaction amount
    mapping (address => bool) private _isExcludedFromFees;
```

Website Review

Coinsult checks the website completely manually and looks for visual, technical and textual errors. We also look at the security, speed and accessibility of the website. In short, a complete check to see if the website meets the current standard of the web development industry.



The screenshot shows the homepage of the Floki Christmas website. The header features the Floki logo and the text "FLOKI CHRISTMAS". The main content area has a white background with a red border. It features a large, bold text "Welcome Winter with Floki Christmas!" and a subtext "Earn 5% BUSD rewards automatically for holding". Below this, there is a small text block about the token and a link to the BSC Explorer. To the right is a cartoon illustration of a house with a chimney, a bear standing in front of it, and a Christmas tree. At the bottom, it says "Pre-sale will start in 6d 8h 59m 29s" and provides a link to the Pinksale. The footer contains social media links for GitHub, Discord, Bitcoco Charts, and DevDiscord.

Type of check	Description
Mobile friendly?	● The website is mobile friendly
Contains jQuery errors?	● The website does not contain jQuery errors
Is SSL secured?	● The website is SSL secured
Contains spelling errors?	● The website does not contain spelling errors

Certificate of Proof

- Not KYC verified by Coinsult

Floki Christmas

Audited by Coinsult.net



Date: 18 October 2022

- ✓ Advanced Manual Smart Contract Audit



coinsult.net

End of report

Smart Contract Audit

 CoinsultAudits

 info@coinsult.net

 coinsult.net

Request your smart contract audit / KYC

t.me/coinsult_tg